

NOTE: POSSESSION OF THIS PRICE LIST DOES NOT CONSTITUTE AN AGREEMENT TO SELL THE READER THIS MERCHANDISE WHICH MAY ONLY BE SOLD THROUGH AUTHORIZED TOSHIBA IMAGING SYSTEMS DIVISION RESELLERS.

Product	Description						
Three CCD Prism Block HD 1080i Remote Head Color Video Cameras							
IK-HD1 Three CCD Remote Head Color Camera System (Head and CCU ordered separately)							
	3 IK-HD1 control units all compatible with IK-HD1H remote head.. IK-HD1C has dual video outputs including 1080i via HD-SDI and an analog RGB outputs; IK-HD1E also provides for both 50/60Hz video outputs; IK-HD1D with DVI-I and analog RGB outputs.						
	CAMERA HEAD						
IK-HD1H	3 CCD Remote Head for use with controller units IK-HD1C , IK-HD1E & IK-HD1D						
	CAMERA CONTROL UNIT						
IK-HD1C	Control Unit for IK-HD1H with HDSDI output						
IK-HD1E	Control Unit for IK-HD1H with HDSDI output & 50&60 Hz video compatible						
IK-HD1D	Control unit for IK-HD1H with DVI-I output						
Cables for IK-HD1 Remote Head Camera							
Camera Head Cables for IK-HD1 Camera System							
EXC-HD03	3 meter cable						
EXC-HD06	6 meter cable						
EXC-HD10	10 meter cable						
EXC-HD30	30 meter cable						
Accessories for IK-HD1 Remote Head Cameras							
AC-Y415A	12 VDC Power Supply, 830mA, Regulated, UL Listed						
TF15DA-8	15mm lens						
TF4DA-8	4mm lens						
Single CMOS (2.1 Million Pixels) HD One Piece Ultra Compact Color Video Camera Series							
IK-HR2D 1/3" 2.1 Million Pixels CMOS One Piece Color Video Camera with DVI-I output and USB2 port.							
NEW	The IK-HR2D camera has switchable video outputs via DVI-I between 1080i(30 fps),1080p (60 fps), 720p(60fps) and USB2 port.						
IK-HR2D	One Piece 1/3" CMOS Camera						
IK-HR1D 1/3" 2.1 Million Pixels CMOS One Piece Color Video Camera with DVI-I output							
	The IK-HR1D camera has switchable video outputs via DVI-I between 1080i(30 fps) and 1080p (60 fps)						
IK-HR1D	One Piece 1/3" CMOS Camera						
IK-HR1S 1/3" 2.1 Million Pixels CMOS One Piece Color Video Camera with HDSDI output							
	The IK-HR1S camera has switchable video outputs via HDSDI between 1080i(30 fps) and 720p (60 fps)						
IK-HR1S	One Piece 1/3" CMOS Camera						
Single CMOS (2.1 Million Pixels) HD Remote Head Color Video Camera Series							
IK-HR1H CMOS Remote Head Color Camera , CCU and Camera Cables ordered separately)							
	CAMERA CONTROL UNITS. INTERCHANGEABLE WITH IK-HR1H REMOTE HEAD						
IK-HR1CD	CCU has switchable video outputs via DVI-I between 1080i(30 fps) and 1080p (60 fps)						
IK-HR1CS	CCU has switchable video outputs via HDSDI between 1080i(30 fps) and 720p (60 fps)						
	CAMERA HEAD						
IK-HR1H	1/3 inch single CMOS remote color head with built-in 1/4 x 20 tripod thread						
Camera Cables for IK-HR1H Remote Head CMOS Camera							
EXC-HR03	3 meter cable						
EXC-HR05	5 meter cable						
EXC-HR10	10 meter cable						
Accessories for All Single (2.1 Million Pixels) CMOS Cameras							
AC-Y415A	12 VDC Power Supply, 830mA, Regulated, UL Listed						
TF15DA-8	15mm lens						
TF4DA-8	4mm lens						
JK-KTF1	Tripod adapter for IK-HR1D one-piece model; others have tripod adapter included.						
IK-TF Series Factory Automation 1/3" 3CCD RGB One-Piece Compact Color Cameras							
IK-TF5	1/3" 3CCD 640x480 Progressive Scan up to 120 fps						

NOTE: POSSESSION OF THIS PRICE LIST DOES NOT CONSTITUTE AN AGREEMENT TO SELL THE READER THIS MERCHANDISE WHICH MAY ONLY BE SOLD THROUGH AUTHORIZED TOSHIBA IMAGING SYSTEMS DIVISION RESELLERS.

Product	Description				
IK-TF5C	1/3" 3CCD 640x480 Camera Link Output*				
IK-TF7	1/3" 3CCD 1024x768 Progressive Scan up to 90 fps				
IKTF7C	1/3" 3CCD 1024x768 Camera Link Output*				
IK-TF9C	1/3" 3CCD 3 Mega Pixel Output*				
	* Requires camera link cable CLM-02M or EXC-CL5S				
IK-TF Series Factory Automation 1/3" 3CCD RGB Remote Head Color Cameras with Camera Link Output.					
IK-TF5H	Head Only 640x480 Progressive Scan up to 120 fps**				
IK-TF5U	Control Unit for IK-TF5H*				
IK-TF7H	Head Only 1024x768 Progressive Scan up to 90 fps**				
IKTF7U	Control Unit for IK-TFH*				
IK-TF9H	Head Only Progressive Scan 3 Mega Pixel Output**				
IK-TF9U	Control Unit for IK-TF9H*				
	* requires camera link cable CLM-02M or EXC-CL5S				
	** requires EXC-TX03 or EXC-TX05 camera cables.				
Single CCD Color "Lipstick" Remote Head Micro Video Cameras					
Lipstick Remote Micro Cameras -NTSC Format					
Camera Control Unit-NTSC					
IK-CU44A	CCU for NTSC IK-M44 series camera heads listed below				
Remote Head Units-NTSC					
IK-C44H	1/2- inch C-Mount Camera Head- NTSC format				
IK-M44H	1/2 -inch Micro Camera Head- NTSC format				
IK-UM44H	1/3- inch Micro Camera Head- NTSC format				
Lipstick Remote Micro Cameras- PAL Format					
Camera Control Unit-PAL					
IK-CU51	CCU for PAL series camera heads listed below				
Remote Head Units-PAL					
IK-M51H	1/2-inch Micro Camera Head (PAL Format)				
IK-UM51H	1/3-inch Micro Camera Head (PAL Format)				
Cables for Remote Head Analog Cameras					
Camera Head Cables for IK-M44H, IK-UM44H,, IK-C44H, IK-M51H and IK-UM51H.					
EXC-4302	2 meter cable				
EXC-4303	3 meter cable				
EXC-4305	5 meter cable				
EXC-4312	12 meter cable				
EXC-4320	20 meter cable				
EXC-4330	30 meter cable				
Camera Head Cables for JK-TU52H-CH40, JK-TU53H-CH40, JK-TU62H-CH40 & JK-TU63H-C40					
EXC-T503	3 meter cable				
EXC-T506	6 meter cable				
EXC-T510	10 meter cable				
EXC-T530	30 meter cable				
Camera Head Cables for IK-TF 3CCD Remote Head Color Cameras					
EXC-TX503	3 meter cable				
EXC-TX505	5 meter cable				
Video Output Cables for All Cameras					
12 Pin Output Cable for IK-52N, IK-53N, IK-52V & IK-53V "Ice Cube " Cameras					
EXC-505V	5 meter cable	SPECIAL ORDER			
EXC-510V	10 meter cable	SPECIAL ORDER			
EXC-525V	25 meter cable	SPECIAL ORDER			
Camera Link cables for IK-TF5C, IK-TF7C, IK-TF9C and remote versions (Mini CL to MDR 26 pin)					
CLM-02M	2 meter cable				
EXC-CLS5	5 meter cable				
Lenses & Lens Adapters for Micro Cameras					
Lenses for 1/2" Format 17mm Lipstick Remote Micro Cameras- Used with IK-M44H & IK-M51H					
JK-L03M	3mm lens				
JK-L04M2	4mm lens				

NOTE: POSSESSION OF THIS PRICE LIST DOES NOT CONSTITUTE AN AGREEMENT TO SELL THE READER THIS MERCHANDISE WHICH MAY ONLY BE SOLD THROUGH AUTHORIZED TOSHIBA IMAGING SYSTEMS DIVISION RESELLERS.

Product	Description					
JK-L15M2	15mm lens					
JK-L24M2	24mm lens					
JK-L75M	7.5mm lens					
Lenses for 3CCD 1/3-inch Format 3 CCD JK-TU53H & JK-TU63H						
TF15DA-8	15mm lens					
TF4DA-8	4mm lens					
Lenses for 1/3" Format 12mm Lipstick Remote Micro Cameras- Used with IK-UM44H & IK-UM51H						
JK-L18U	18mm lens					
JK-L55U	5.5mm lens					
Power Supply and Accessories						
Power Supply and Accessories						
AC-Y415A	12 VDC Power Supply, 830mA, Regulated, UL Listed					
JK-K542	Tripod Mount for IK-542, IK-TF2, IK-TF5 and IK-TF7					
JK-KTF1	Insulating Tripod Mount for all IK-TF model cameras					
JK-K7XD	Tripod mount for IK-542XD, IK-7XD					
JK-KTU5	Tripod mount for JK-TU52H and JK-TU53H					
CMAM-40	C-Mount Adapter for IK-M44H and IK-M51H camera heads					

Customer Service Information

SALES

Vincent Giovinco, National Sales Manager
Gary Pitre, Eastern Region Sales Manager

(602) 796-7130
(810) 357-5022

TECHNICAL SUPPORT

Ian Tobi, Marketing Support Engineer

(949) 461-4253

CUSTOMER SERVICE

Tina Trace, Customer Service Supervisor
Customer Service Fax No.

(949) 461-4968
(800) 640-8674